



# Implementation of the Johnson-Holmquist II (JH-2) Constitutive Model Into DYNA3D

by George A. Gazonas

ARL-TR-2699

March 2002

20020528 065

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

# Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

---

ARL-TR-2699

March 2002

---

## Implementation of the Johnson-Holmquist II (JH-2) Constitutive Model Into DYNA3D

George A. Gazonas

Weapons and Materials Research Directorate, ARL

---

## Abstract

---

This report describes the implementation of a fully three-dimensional rate, pressure, and damage-dependent constitutive model for brittle materials such as ceramics into the explicit, Lagrangian finite element code DYNA3D. The model, otherwise known as the Johnson-Holmquist II (JH-2) ceramic model, has also been implemented into CTH, EPIC, and LS-DYNA, and is used extensively in modelling the brittle response of ceramics in armor applications. The DYNA3D material driver was used to verify the model implementation for constant strain-rate input histories (Johnson, G. R., and T. J. Holmquist. "An Improved Computational Constitutive Model for Brittle Materials." *High Pressure Science and Technology*, New York: AIP Press, 1993). Also described is the implementation of the JH-3 ceramic model and capabilities for modelling projectile dwell phenomena. The Johnson-Holmquist series of ceramic models (JH-1, JH-2, and JH-3) is currently being used in a broader program aimed at computational optimization of composite lightweight armor for Future Combat System vehicles.

## Acknowledgments

The author would like to acknowledge Timothy Holmquist, Network Computing Services, Incorporated, for providing helpful discussions during the implementation of the model.

INTENTIONALLY LEFT BLANK

# Table of Contents

	<u>Page</u>
Acknowledgments . . . . .	iii
List of Figures . . . . .	vii
List of Tables . . . . .	ix
1. Introduction . . . . .	1
2. Constitutive Model . . . . .	1
3. Numerical Implementation . . . . .	3
3.1 JH-2 Model . . . . .	4
3.2 JH-3 Model . . . . .	4
3.3 Impact Onto Ceramic Targets . . . . .	5
4. Summary . . . . .	5
5. References . . . . .	17
Distribution List . . . . .	19
Report Documentation Page . . . . .	39

INTENTIONALLY LEFT BLANK

# List of Figures

<u>Figure</u>	<u>Page</u>
1. Validation of JH-2 model with analytical expressions, equations (3) and (4).	7
2. Excess compression $\mu = \frac{V_0}{V} - 1$ vs. time. . . . .	8
3. X-stress vs. time (JH-2 model). . . . .	8
4. Y-stress vs. time (JH-2 model). . . . .	9
5. Z-stress vs. time (JH-2 model). . . . .	9
6. Pressure vs. time (JH-2 model). . . . .	10
7. X-stress vs. time (JH-3 model). . . . .	10
8. Y-stress vs. time (JH-3 model). . . . .	11
9. Z-stress vs. time (JH-3 model). . . . .	11
10. Pressure vs. time (JH-3 model). . . . .	12
11. Effective stress vs. pressure for the JH-2 and JH-3 ceramic models. . . . .	12
12. Axial and lateral stress vs. time for 1-D plate impact (JH-2 model). . . . .	13
13. Axial and lateral stress vs. time for 1-D plate impact (JH-3 model). . . . .	13

INTENTIONALLY LEFT BLANK

## List of Tables

<u>Table</u>	<u>Page</u>
1. Algorithm for the JH-2 ceramic material model. . . . .	14
2. JH-2 model constants for surrogate alumina. . . . .	15

INTENTIONALLY LEFT BLANK

# 1. Introduction

This report describes the implementation of a fully three-dimensional (3-D) rate, pressure and damage-dependent constitutive model for brittle materials such as ceramics into the explicit, Lagrangian finite element code DYNA3D. The DYNA3D source code was obtained from Lawrence Livermore National Laboratories (LLNL) under the auspices of the U.S. Army Research Laboratory (ARL)-LLNL collaborator's agreement. The model, otherwise known as the Johnson-Holmquist II (JH-2) ceramic model, has also been implemented into CTH, EPIC, and LS-DYNA (model 110 in version 960 of the commercial code developed by Livermore Software Technology Corporation [LSTC]), and is used extensively in modelling the brittle response of ceramics in armor applications. This report outlines the important features of the JH-2 material model, the numerical implementation, and validation of the model implementation using the DYNA3D material model driver for constant strain-rate input histories. Despite the fact that the DYNA3D finite element code possesses over 40 constitutive models, few models (e.g., Fahrenthold Brittle Damage [model 40]; Defense Threat Reduction Agency [DTRA] Concrete/Geological material [model 45]) are capable of simulating the rate- and pressure-dependent behavior observed in brittle ceramic materials. Hence, the current JH-2 model implementation provides an important phenomenological tool for armor designers involved in simulation-based design of composite integral armors.

# 2. Constitutive Model

The original Johnson-Holmquist brittle ceramic model (JH-1) is described in Johnson and Holmquist (1992), and represents a phenomenological description of brittle material behavior that includes pressure-dependent strength, strain-rate effects, and damage induced dilatation or bulking effects. In the following year, the model was improved to account for, among other things, the gradual-softening behavior that is observed in ceramics subjected to flyer-plate impact (Johnson and Holmquist 1993). The improved JH-2 model was implemented in both Lagrangian (EPIC) and Eulerian (CTH) hydrocodes where it was used in a number of studies aimed at predicting the depth-of-penetration (DOP) of long rod penetrators. Interestingly, even though the "so-called" improved JH-2 model captures the post-failure behavior of ceramics, it tends to overpredict the DOP (e.g., on the order of 13% [Meyer 1995] in AD995), while the JH-1 model tends to underpredict the DOP by only a few percent. This behavior is attributed to the fact that the JH-2 ceramic model continually degrades the yield strength as damage accumulates  $0 < D < 1$ , whereas strength degrades instantaneously for the JH-1 model only after  $D = 1$ . The most recent JH-3 model incorporates most features of the JH-2 model, most notably the power-law relationship between effective stress and pressure, as well as ceramic dwell phenomenology. More recently, researchers using the JH-1 ceramic model in the EPIC code have demonstrated that ceramic dwell can only be simulated using hybrid algorithms that couple Lagrangian and particle methods (e.g., general particle algorithms [GPA]) (Beissel and Johnson 2001). Apparently, tensile waves are artificially introduced into the computations when Lagrangian elements are removed from the calculations during penetration, which can cause premature

material failure. However, the use of hybrid Lagrangian/meshless methods may not be the only means to computationally simulate ceramic dwell phenomena; the development of more robust microphysically based constitutive models for ceramics or novel element erosion algorithms (Simha et al. 2002) might also provide a means for accurately modelling projectile dwell without the need to resort to particle or other meshless methods.

A thorough description of the JH-2 model can be found in Johnson and Holmquist (1993), and only those equations needed for description of the algorithmic implementation are reproduced here. Generally speaking, the normalized equivalent stress can be written as a power-law function of hydrostatic pressure shown in Figure 1, which illustrates continuous curves for the intact strength,  $\sigma_i^*$ , where  $D = 0$ , damaged strength,  $\sigma^*$ , where  $0 < D < 1$ , and fully fractured strength,  $\sigma_f^*$ , where  $D = 1$ , for the ceramic material. The general expression governing these curves is given by

$$\sigma^* = \sigma_i^* - D(\sigma_i^* - \sigma_f^*) \quad , \quad (1)$$

where  $D$  is a scalar damage parameter defined over the range  $0 \leq D \leq 1$ , and the stresses in equation (1) are made dimensionless by normalizing them to the equivalent stress at the Hugoniot Elastic Limit (HEL) through

$$\sigma^* = \sigma / \sigma_{HEL} \quad . \quad (2)$$

The normalized intact strength  $\sigma_i^*$  is given by

$$\sigma_i^* = A(P^* + T^*)^N (1 + C \ln \dot{\epsilon}^*) \quad , \quad (3)$$

and the normalized fracture strength  $\sigma_f^*$  is given by

$$\sigma_f^* = B(P^*)^M (1 + C \ln \dot{\epsilon}^*) \quad , \quad (4)$$

are illustrated in Figure 1 for  $C = 0$ . Pressure in equations (3) and (4) are made dimensionless by normalizing to the pressure at the HEL through

$$P^* = P / P_{HEL} \quad , \quad (5)$$

and  $T^* = T / P_{HEL}$  is the normalized maximum tensile fracture strength. Note that  $T^*$  approaches zero as  $D$  approaches 1. The additional material constants are  $A, B, C, M$ , and  $N$ . All damage is assumed to accumulate through incremental plastic  $\Delta \epsilon^p$  deformation of the ceramic using an expression similar to that in the Johnson-Cook fracture model (Johnson and Cook 1985)

$$D = \sum \Delta \epsilon^p / \epsilon_f^p \quad , \quad (6)$$

where the rate-independent plastic strain to fracture is given by the power-law expression

$$\epsilon_f^p = D_1 (P^* + T^*)^{D_2} \quad . \quad (7)$$

Under dynamic loading, the equation-of-state (EOS) for the brittle-material can be defined by a polynomial expression that is written in terms of the excess compression  $\mu$  (see also Kohn [1969])

$$P = K_1\mu + K_2\mu^2 + K_3\mu^3 + \Delta P \quad , \quad (8)$$

where  $\mu = \rho/\rho_0 - 1$ , and  $\rho_0, \rho$  are the initial and final densities, respectively.  $K_1, K_2$ , and  $K_3$ , are constants determined from plate impact or diamond anvil press experiments. A pressure increment  $\Delta P$  is added when damage begins to accumulate,  $D > 0$ , and represents an increase in potential energy as the deviatoric stresses decrease due to material softening. The internal energy  $U$  is quadratically related to the equivalent plastic flow stress  $\sigma_y$

$$U = \sigma_y^2 / 6G \quad , \quad (9)$$

where  $G$  is the shear modulus. Hence, the incremental energy loss  $\Delta U$  can be computed as the difference between successive damage states using

$$\Delta U = U_{D(t)} - U_{D(t+\Delta t)} \quad . \quad (10)$$

If the energy loss  $\Delta U$  is converted to a potential hydrostatic pressure increase  $\Delta P$ , an approximate energy conservation relation can be written as

$$(\Delta P_{t+\Delta t} - \Delta P_t)\mu_t + (\Delta P_{t+\Delta t}^2 - \Delta P_t^2) / 2K_1 = \beta \Delta U \quad , \quad (11)$$

where  $\beta$  governs the fraction of elastic energy converted to potential energy. The implementation utilizes the current excess compression  $\mu_t$  in contrast to the updated value  $\mu_{t+\Delta t}$  used by Johnson and Holmquist (1992). Solving for the updated  $\Delta P_{t+\Delta t}$  yields the expression

$$\Delta P_{t+\Delta t} = -K_1\mu_t + \sqrt{(K_1\mu_t + \Delta P_t)^2 + 2\beta K_1\Delta U} \quad . \quad (12)$$

### 3. Numerical Implementation

A flowchart depicting the numerical implementation algorithm for the equations described in the previous section is outlined in Table 1. Validation of the algorithm and numerical implementation is also demonstrated using the DYNA3D material driver which allows the user to specify an arbitrary strain input history for prediction of the stress state at a material point. The material driver capability present in DYNA3D permits investigation of fundamental material behavior in the absence of inertial or wave propagation effects. The DYNA3D implementation is compared to the results obtained for a “one-element” EPIC model that is constrained laterally, but subjected to a slowly increasing and then decreasing axial force (Johnson and Holmquist 1993). Figure 2 illustrates the DYNA3D uniaxial strain input history representing loading and unloading of the ceramic in the x-coordinate direction

at constant strain rate. The strain history is analytically described by the sawtooth function

$$\mu(t) = 5tH(t)/100 - (t - 1)H(t - 1)/10, \quad (13)$$

where  $H(t)$  is the Heaviside step function.

### 3.1 JH-2 Model

The material response is illustrated using a series of figures depicting behavior of a surrogate ceramic material subjected to uniaxial strain history. Model constants are given in Johnson and Holmquist (1993) but are reproduced here in Table 2 (case C) for all plots shown in the following sections. Figures 3, 4, and 5 illustrate the stress response of the ceramic in the respective x, y, and z coordinate directions, where x is the loading direction. Figure 6 shows the continuous pressure vs. time behavior. The plot of effective stress vs. pressure (Figure 1) demonstrates validation of the JH-2 model implementation into DYNA3D by comparison with plots in Johnson and Holmquist (1993) (Figure 4 in that reference). Figure 1 also compares the JH-2 model results superimposed upon the analytical expressions given in equations 3 and 4 for intact  $D = 0$ , and fully fractured  $D = 1$  ceramic, respectively. As previously described in Johnson and Holmquist (1993), the material response for this load history is quite complex and can be described by referring to the letters a–f in Figure 1. From the unstressed state, the material begins to load elastically to point a, which intersects the intact strength curve (equation [3]) in Figure 1. The material begins to “soften” as damage accumulates from point a ( $D = 0$ ) to b ( $D = 1$ ), where the fracture strength curve (equation [4]) is intersected. The material continues to flow plastically from point b to c along the fracture strength curve and reaches a maximum pressure of 7.25 GPa at point c corresponding to the maximum compression of  $\mu = 0.05$ . The material then unloads elastically from point c to d where the effective stress is zero. From point d to e the unloading continues and the axial deviatoric stress becomes tensile; the fracture stress is encountered at point e and continues to unload along the fracture strength envelope to point f. In the DYNA3D example, the stresses do not return to zero as in the example provided in Johnson and Holmquist (1993) because the former is under strain control and there are residual stresses induced by yielding, whereas the latter is under stress control.

### 3.2 JH-3 Model

The JH-3 model was also implemented into DYNA3D since recent work indicates that the defeat mechanism known as projectile dwell can be more accurately simulated using the JH-3 model than the JH-2 model when it is used in conjunction with general particle algorithms (GPA) (Beissel and Johnson 2001). The stress response of the JH-3 model for the surrogate ceramic material is shown in Figures 7, 8, and 9 when subjected to the uniaxial strain history in the x coordinate direction (equation [13]). Figure 10 shows the discontinuous pressure vs. time behavior resulting from the abrupt strength loss in the ceramic during failure. Interestingly, the JH-3 model predicts the presence of jump discontinuities in the x, y, and z stresses during failure that can be contrasted to the continuous stress response predicted

by the JH-2 model (e.g., compare Figures 3, 4, and 5 [JH-2 model] with Figures 7, 8, and 9 [JH-3 model]). In particular, the JH-3 model predicts that a jump decrease should occur in the loading direction in a uniaxially strained ceramic with simultaneous jump increases in the lateral stress components. For the JH-3 model, the effective stress continues to increase from point a to b' as damage accumulates, providing the phenomenological mechanism for dwell; failure in the ceramic occurs instantaneously from point b' to c' (Figure 11). The "kink" in the stress drop from point b' to c' in Figure 11 is due to the ceramic bulking phenomenon that occurs in a single cycle in the algorithm; if bulking is not permitted to occur during failure, i.e.,  $\beta = 0$ , then the effective stress drops straight downward to the fully fractured strength curve. In contrast, the effective stress for the JH-2 model gradually degrades as damage accumulates, from point a to b in Figure 11.

### 3.3 Impact Onto Ceramic Targets

The behavior of the Johnson-Holmquist ceramic model is further studied using a one-dimensional (1-D) simulation whereby a 2-in-thick ceramic target is subjected to impact by a semi-infinite, linear elastic flyer plate travelling at an initial velocity of  $2 \times 10^4$  in/s. The finite-element model geometry is identical to that reported in previous work on impact into functionally graded elastic media where simulation results compared well to closed-form analytical solutions under transient, uniaxial strain, impact loading (Scheidler and Gazonas 2001). The DYNA3D simulations used 60 uniformly spaced hexahedral elements through the thickness of the ceramic target using the ceramic material constants provided in Table 2 (case C). The density and Young's modulus of the flyer plate was  $1.8603 \times 10^{-3}$  lb<sub>f</sub>s<sup>2</sup>/in<sup>4</sup>, and  $7.583 \times 10^7$  psi, respectively. It is seen that the axial and lateral stresses at the center of the JH-2 ceramic target increase monotonically, level-off, and then decrease during the plate impact event (Figure 12). However, for the JH-3 ceramic model, the axial stress increases monotonically, then instantaneously decreases during failure of the ceramic depicted by the arrow at a in Figure 13. The lateral stresses instantaneously increase during failure of the ceramic as depicted by the arrow at b in Figure 13. Since simulations of plate impact tests on ceramics stressed to failure reveal different behaviors for the JH-2 and JH-3 models, plate impact experiments which simultaneously monitor both axial and lateral stresses would aid in verification of the stress predictions provided by these ceramic material models.

## 4. Summary

This report has described the implementation of a fully 3-D, rate, pressure and damage-dependent constitutive model for brittle materials such as ceramics into the explicit, Lagrangian finite element code DYNA3D. Both the JH-2 and JH-3 ceramic models have been successfully implemented, and their behaviors are compared using the material driver capability present in DYNA3D that permits investigation of fundamental material behavior in the absence of inertial or wave propagation effects. The DYNA3D implementation compares well with results obtained for a "one-element" EPIC model that is constrained laterally, but sub-

jected to a slowly increasing and then decreasing axial force (Johnson and Holmquist 1993).

The JH-3 model was also implemented into DYNA3D since recent work indicates that the defeat mechanism known as projectile dwell can be more accurately simulated using the JH-3 model than the JH-2 model when it is used in conjunction with GPA's. Projectile dwell is phenomenologically modelled using the JH-3 model by essentially delaying the onset of failure, or the decrease in effective stress, until the ceramic is fully damaged, i.e.,  $D = 1$ . Despite this phenomenological advantage over the JH-2 model, the JH-3 model predicts the presence of jump discontinuities in the x, y, and z stresses during failure, which can be contrasted to the continuous stress response predicted by the JH-2 model. In particular, the JH-3 model predicts that a jump decrease should occur in the loading direction in a uniaxially strained ceramic with simultaneous jump increases in the lateral stress components. This behavior is disturbing in view of the uniaxial strain kinematic boundary conditions. Plate impact tests on ceramics stressed to failure with simultaneous monitoring of the axial and lateral stresses (Bourne et al. 1998) would aid in verification of the stress predictions of the JH-2 and JH-3 material model depicted in this report.




Figure 1. Validation of JH-2 model with analytical expressions, equations (3) and (4).




Figure 2. Excess compression  $\mu = \frac{v_0}{v} - 1$  vs. time.




Figure 3. X-stress vs. time (JH-2 model).




Figure 4. Y-stress vs. time (JH-2 model).




Figure 5. Z-stress vs. time (JH-2 model).




Figure 6. Pressure vs. time (JH-2 model).




Figure 7. X-stress vs. time (JH-3 model).




Figure 8. Y-stress vs. time (JH-3 model).




Figure 9. Z-stress vs. time (JH-3 model).




Figure 10. Pressure vs. time (JH-3 model).




Figure 11. Effective stress vs. pressure for the JH-2 and JH-3 ceramic models.




Figure 12. Axial and lateral stress vs. time for 1-D plate impact (JH-2 model).




Figure 13. Axial and lateral stress vs. time for 1-D plate impact (JH-3 model).

**Table 1. Algorithm for the JH-2 ceramic material model.**

1. Calculate trial deviatoric stresses:  

$$\sigma_{n+1}^{tr} = \sigma_n + 2\mu\dot{\epsilon}\Delta t .$$
2. Calculate total effective strain rate  $\dot{\epsilon}$ , and  $\dot{\epsilon}^* = \dot{\epsilon}/\dot{\epsilon}_o$ :  

$$\dot{\epsilon} = \sqrt{\frac{2}{3}\dot{\epsilon}_{ij}\dot{\epsilon}_{ij}} .$$
3. Calculate the current yield stress  $\sigma^*$  (equation [1]):  

$$\sigma^* = \sigma^*(\dot{\epsilon}^*, D, P^*, T^*) .$$
4. Calculate the trial effective stress:  

$$\bar{\sigma}^{tr} = \sqrt{\frac{3}{2}S^{tr} : S^{tr}} .$$
5. Check for yielding:  

$$\bar{\sigma}^{tr} - \sigma^* > 0 ; \text{continue with step 6.}$$

$$\bar{\sigma}^{tr} - \sigma^* \leq 0 ; \text{go to step 7.}$$
6. Return stresses radially to yield surface:  

$$S_{n+1} = \frac{\sigma^*}{\bar{\sigma}^{tr}} S^{tr} .$$
7. Calculate effective plastic strain rate  $\dot{\epsilon}^p$  .
8. Calculate plastic strain to fracture:  $\epsilon_f^p$  (equation [7]) .
9. Update damage:  

$$D = D + \sum \frac{\dot{\epsilon}^p \Delta t}{\epsilon_f^p} .$$
10. Calculate pressure  $P$  and sound speed  $c$ .
11. Calculate internal energy loss  $\Delta u$  due to damage (equation [10]).
12. Calculate pressure increment  $\Delta p$  (equation [12]).
13. Update pressure (equation [8]):  

$$P = K_1\mu + K_2\mu^2 + K_3\mu^3 + \Delta P .$$
14. Reduce deviator stresses by energy ratio:  

$$S_{n+1} = S_{n+1} \cdot ratio .$$
15. Calculate new total stress:  

$$\sigma_{n+1} = S_{n+1} + p_{n+1}\delta .$$
16. Go to 1.

Table 2. JH-2 model constants for surrogate alumina.

Parameter	Description	Case A	Case B	Case C
$\rho_o$ (g/cc)	Density	3.890	3.890	3.890
$G$ (GPa)	Shear modulus	90.160	90.160	90.160
$HEL$ (GPa)	Hugoniot elastic limit (HEL)	2.790	2.790	2.790
$P_{HEL}$ (GPa)	Pressure component at HEL	1.460	1.460	1.460
$\sigma_{HEL}$ (GPa)	$\sigma_{HEL} = \frac{3}{2}(HEL - P_{HEL})$	1.995	1.995	1.995
$A$	Intact strength constant	0.930	0.930	0.930
$N$	Intact strength constant	0.600	0.600	0.600
$C$	Strain rate constant	0.000	0.000	0.000
$B$	Fracture strength constant	0.000	0.000	0.310
$M$	Fracture strength constant	0.000	0.000	0.600
$S_{f\max}^*$	Normalized maximum fracture strength	1.000	1.000	1.000
$T^*$	Normalized tensile strength	0.137	0.1369	0.137
$K_1$ (GPa)	Bulk modulus	130.950	130.950	130.950
$K_2$ (GPa)	EOS constant	0.000	0.000	0.000
$K_3$ (GPa)	EOS constant	0.000	0.000	0.000
$\beta$	Bulking factor	1.000	1.000	1.000
$D_1$	Damage coefficient	0.000	0.005	0.005
$D_2$	Damage exponent	1.000	1.000	1.000

INTENTIONALLY LEFT BLANK

## 5. References

- Beissel, S., and G. R. Johnson. "Modeling High-Velocity Impact and Explosive Detonation With Finite Elements and Meshless Particles." *Army HPC Research Center Bulletin*, vol. 11, pp. 5–9, 2001.
- Bourne, N., J. Millett, Z. Rosenberg, and N. Murray. "On the Shock Induced Failure of Brittle Solids." *Journal of the Mechanics and Physics of Solids*, vol. 46, pp. 1887–1980, 1998.
- Johnson, G. R., and W. H. Cook. "Fracture Characteristics of Three Metals Subjected to Various Strains, Strain Rates, Temperatures, and Pressures." *Journal of Engineering Fracture Mechanics*, vol. 21, pp. 31–85, 1985.
- Johnson, G. R., and T. J. Holmquist. "A Computational Constitutive Model for Brittle Materials Subjected to Large Strains, High Strain Rates and High Pressures." *Shock Wave and High-Strain-Rate Phenomena in Materials*, edited by M. A. Meyers, L. E. Murr, and K. P. Staudhammer, New York: Marcel Dekker, 1992.
- Johnson, G. R., and T. J. Holmquist. "An Improved Computational Constitutive Model for Brittle Materials." *High Pressure Science and Technology*, New York: AIP Press, 1993.
- Kohn, B. J. "Compilation of Hugoniot Equations of State." AFWL-TR-69-38, Air Force Weapons Laboratory, Air Force Systems Command, Kirtland Air Force Base, NM, 1969.
- Meyer, H. W. Jr. "A Comparison of the JH1 and JH2 Ceramic Models in CTH." *The Society for Computer Simulation, Proceedings of the 1996 Simulation Multiconference: Military, Government, and Aerospace Simulation*, vol. 28, pp. 194–198, edited by M. Chinni, 1995.
- Scheidler, M. J., and G. A. Gazonas. "Analytical and Computational Study of One-Dimensional Impact of Graded Elastic Solids." Proceedings of the 12th APS Topical Conference on Shock Compression of Condensed Matter, Atlanta, GA, June 2001.
- Simha, C. H. M., S. J. Bless, and A. Bedford. "Computational Modeling of the Penetration Response of a High-Purity Ceramic." *International Journal of Impact Engineering*, vol. 27, pp. 65–86, 2002.

INTENTIONALLY LEFT BLANK

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	DEFENSE TECHNICAL INFORMATION CENTER DTIC OCA 8725 JOHN J KINGMAN RD STE 0944 FT BELVOIR VA 22060-6218	3	DIRECTOR US ARMY RESEARCH LAB AMSRL CI LL 2800 POWDER MILL RD ADELPHI MD 20783-1197
1	HQDA DAMO FDT 400 ARMY PENTAGON WASHINGTON DC 20310-0460	3	DIRECTOR US ARMY RESEARCH LAB AMSRL CI IS T 2800 POWDER MILL RD ADELPHI MD 20783-1197
1	OSD OUSD(A&T)/ODDR&E(R) DR R J TREW 3800 DEFENSE PENTAGON WASHINGTON DC 20301-3800		<u>ABERDEEN PROVING GROUND</u>
1	COMMANDING GENERAL US ARMY MATERIEL CMD AMCRDA TF 5001 EISENHOWER AVE ALEXANDRIA VA 22333-0001	2	DIR USARL AMSRL CI LP (BLDG 305)
1	INST FOR ADVNCD TCHNLGY THE UNIV OF TEXAS AT AUSTIN 3925 W BRAKER LN STE 400 AUSTIN TX 78759-5316		
1	US MILITARY ACADEMY MATH SCI CTR EXCELLENCE MADN MATH THAYER HALL WEST POINT NY 10996-1786		
1	DIRECTOR US ARMY RESEARCH LAB AMSRL D DR D SMITH 2800 POWDER MILL RD ADELPHI MD 20783-1197		
1	DIRECTOR US ARMY RESEARCH LAB AMSRL CI AI R 2800 POWDER MILL RD ADELPHI MD 20783-1197		

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DIRECTOR US ARMY RESEARCH LAB AMSRL CP CA D SNIDER 2800 POWDER MILL RD ADELPHI MD 20783-1145	1	COMMANDER US ARMY ARDEC AMSTA AR FSE PICATINNY ARSENAL NJ 07806-5000
1	DIRECTOR US ARMY RESEARCH LAB AMSRL CI IS R 2800 POWDER MILL RD ADELPHI MD 20783-1145	1	COMMANDER US ARMY ARDEC AMSTA AR TD C SPINELLI PICATINNY ARSENAL NJ 07806-5000
3	DIRECTOR US ARMY RESEARCH LAB AMSRL OP SD TL 2800 POWDER MILL RD ADELPHI MD 20783-1145	6	COMMANDER US ARMY ARDEC AMSTA AR CCH A W ANDREWS S MUSALLI R CARR M LUCIANO E LOGSDEN T LOUZEIRO PICATINNY ARSENAL NJ 07806-5000
1	DPTY ASST SECY FOR R&T SARD TT THE PENTAGON RM 3EA79 WASHINGTON DC 20301-7100	1	COMMANDER US ARMY ARDEC AMSTA AR CCH P J LUTZ PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY MATERIEL CMD AMXMI INT 5001 EISENHOWER AVE ALEXANDRIA VA 22333-0001	1	COMMANDER US ARMY ARDEC AMSTA AR FSF T C LIVECCHIA PICATINNY ARSENAL NJ 07806-5000
4	COMMANDER US ARMY ARDEC AMSTA AR CC G PAYNE J GEHBAUER C BAULIEU H OPAT PICATINNY ARSENAL NJ 07806-5000	1	COMMANDER US ARMY ARDEC AMSTA ASF PICATINNY ARSENAL NJ 07806-5000
2	COMMANDER US ARMY ARDEC AMSTA AR AE WW E BAKER J PEARSON PICATINNY ARSENAL NJ 07806-5000	1	COMMANDER US ARMY ARDEC AMSTA AR QAC T C C PATEL PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	COMMANDER US ARMY ARDEC AMSTA AR M D DEMELLA PICATINNY ARSENAL NJ 07806-5000
3	COMMANDER US ARMY ARDEC AMSTA AR FSA A WARNASH B MACHAK M CHIEFA PICATINNY ARSENAL NJ 07806-5000
2	COMMANDER US ARMY ARDEC AMSTA AR FSP G M SCHIKSNIS D CARLUCCI PICATINNY ARSENAL NJ 07806-5000
2	COMMANDER US ARMY ARDEC AMSTA AR CCH C H CHANIN S CHICO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR QAC T D RIGOGLIOSO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR WET T SACHAR BLDG 172 PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	US ARMY ARDEC INTELLIGENCE SPECIALIST AMSTA AR WEL F M GUERRIERE PICATINNY ARSENAL NJ 07806-5000
9	COMMANDER US ARMY ARDEC AMSTA AR CCH B P DONADIA F DONLON P VALENTI C KNUTSON G EUSTICE S PATEL G WAGNECZ R SAYER F CHANG PICATINNY ARSENAL NJ 07806-5000
6	COMMANDER US ARMY ARDEC AMSTA AR CCL F PUZYCKI R MCHUGH D CONWAY E JAROSZEWSKI R SCHLENNER M CLUNE PICATINNY ARSENAL NJ 07806-5000
1	PM ARMS SFAE GCSS ARMS BLDG 171 PICATINNY ARSENAL NJ 07806-5000
2	PEO FIELD ARTILLERY SYS SFAE FAS PM H GOLDMAN T MCWILLIAMS PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	COMMANDER US ARMY ARDEC AMSTA AR WEA J BRESCIA PICATINNY ARSENAL NJ 07806-5000
12	PM TMA SFAE GSSC TMA R MORRIS C KIMKER D GUZIEWICZ E KOPACZ R ROESER R DARCY R KOWALSKI R MCDANOLDS L D ULISSE C ROLLER J MCGREEN B PATER PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC PRODUCTION BASE MODERN ACTY AMSMC PBM K PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY TACOM PM ABRAMS SFAE ASM AB 6501 ELEVEN MILE RD WARREN MI 48397-5000
1	COMMANDER US ARMY TACOM AMSTA SF WARREN MI 48397-5000
1	COMMANDER US ARMY TACOM PM BFVS SFAE GCSS W BV 6501 ELEVEN MILE RD WARREN MI 48397-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DIRECTOR AIR FORCE RESEARCH LAB MLLMD D MIRACLE 2230 TENTH ST WRIGHT PATTERSON AFB OH 45433-7817
1	OFC OF NAVAL RESEARCH J CHRISTODOULOU ONR CODE 332 800 N QUINCY ST ARLINGTON VA 22217-5600
1	US ARMY CERL R LAMPO 2902 NEWMARK DR CHAMPAIGN IL 61822
1	COMMANDER US ARMY TACOM PM SURVIVABLE SYSTEMS SFAE GCSS W GSI H M RYZYI 6501 ELEVEN MILE RD WARREN MI 48397-5000
1	COMMANDER US ARMY TACOM CHIEF ABRAMS TESTING SFAE GCSS W AB QT T KRASKIEWICZ 6501 ELEVEN MILE RD WARREN MI 48397-5000
1	COMMANDER WATERVLIET ARSENAL SMCWV QAE Q B VANINA BLDG 44 WATERVLIET NY 12189-4050
3	ARMOR SCHOOL ATZK TD R BAUEN J BERG A POMEY FT KNOX KY 40121

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	HQ IOC TANK AMMUNITION TEAM AMSIO SMT R CRAWFORD W HARRIS ROCK ISLAND IL 61299-6000
2	COMMANDER US ARMY AMCOM AVIATION APPLIED TECH DIR J SCHUCK FT EUSTIS VA 23604-5577
14	COMMANDER US ARMY TACOM AMSTA TR R R MCCLELLAND D THOMAS J BENNETT D HANSEN AMSTA JSK S GOODMAN J FLORENCE K IYER D TEMPLETON A SCHUMACHER AMSTA TR D D OSTBERG L HINOJOSA B RAJU AMSTA CS SF H HUTCHINSON F SCHWARZ WARREN MI 48397-5000
14	BENET LABORATORIES AMSTA AR CCB R FISCELLA M SOJA E KATHE M SCAVULO G SPENCER P WHEELER S KRUPSKI J VASILAKIS G FRIAR R HASENBEIN AMSTA CCB R S SOPOK E HYLAND D CRAYON R DILLON WATERVLIET NY 12189-4050

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DIRECTOR US ARMY AMCOM SFAE AV RAM TV D CALDWELL BLDG 5300 REDSTONE ARSENAL AL 35898
1	NAVAL SURFACE WARFARE CTR DAHLGREN DIV CODE G06 DAHLGREN VA 22448
2	US ARMY CORPS OF ENGINEERS CERD C T LIU CEW ET T TAN 20 MASS AVE NW WASHINGTON DC 20314
1	US ARMY COLD REGIONS RSCH & ENGRNG LAB P DUTTA 72 LYME RD HANOVER NH 03755
1	USA SBCCOM PM SOLDIER SPT AMSSB PM RSS A J CONNORS KANSAS ST NATICK MA 01760-5057
2	USA SBCCOM MATERIAL SCIENCE TEAM AMSSB RSS J HERBERT M SENNETT KANSAS ST NATICK MA 01760-5057
2	OFC OF NAVAL RESEARCH D SIEGEL CODE 351 J KELLY 800 N QUINCY ST ARLINGTON VA 22217-5660
1	NAVAL SURFACE WARFARE CTR TECH LIBRARY CODE 323 17320 DAHLGREN RD DAHLGREN VA 22448

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
1	NAVAL SURFACE WARFARE CTR CRANE DIVISION M JOHNSON CODE 20H4 LOUISVILLE KY 40214-5245	8	US ARMY SBCCOM SOLDIER SYSTEMS CENTER BALLISTICS TEAM J WARD W ZUKAS P CUNNIFF J SONG MARINE CORPS TEAM J MACKIEWICZ BUS AREA ADVOCACY TEAM W HASKELL AMSSB RCP SS W NYKVIST S BEAUDOIN KANSAS ST NATICK MA 01760-5019
2	NAVAL SURFACE WARFARE CTR U SORATHIA C WILLIAMS CD 6551 9500 MACARTHUR BLVD WEST BETHESDA MD 20817		
2	COMMANDER NAVAL SURFACE WARFARE CTR CARDEROCK DIVISION R PETERSON CODE 2020 M CRITCHFIELD CODE 1730 BETHESDA MD 20084		
8	DIRECTOR US ARMY NATIONAL GROUND INTELLIGENCE CTR D LEITER MS 404 M HOLTUS MS 301 M WOLFE MS 307 S MINGLEDORF MS 504 J GASTON MS 301 W GSTATTENBAUER MS 304 R WARNER MS 305 J CRIDER MS 306 220 SEVENTH ST NE CHARLOTTESVILLE VA 22091	9	US ARMY RESEARCH OFC A CROWSON H EVERETT J PRATER G ANDERSON D STEPP D KISEROW J CHANG B LAMATTINA J LAVERY PO BOX 12211 RESEARCH TRIANGLE PARK NC 27709-2211
1	NAVAL SEA SYSTEMS CMD D LIESE 2531 JEFFERSON DAVIS HWY ARLINGTON VA 22242-5160	8	NAVAL SURFACE WARFARE CTR J FRANCIS CODE G30 D WILSON CODE G32 R D COOPER CODE G32 J FRAYSSE CODE G33 E ROWE CODE G33 T DURAN CODE G33 L DE SIMONE CODE G33 R HUBBARD CODE G33 DAHLGREN VA 22448
1	NAVAL SURFACE WARFARE CTR M LACY CODE B02 17320 DAHLGREN RD DAHLGREN VA 22448		
1	EXPEDITIONARY WARFARE DIV N85 F SHOUP 2000 NAVY PENTAGON WASHINGTON DC 20350-2000	2	NAVAL SURFACE WARFARE CTR CARDEROCK DIVISION R CRANE CODE 2802 C WILLIAMS CODE 6553 3A LEGGETT CIR BETHESDA MD 20054-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	AFRL MLBC 2941 P ST RM 136 WRIGHT PATTERSON AFB OH 45433-7750
1	AFRL MLSS R THOMSON 2179 12TH ST RM 122 WRIGHT PATTERSON AFB OH 45433-7718
2	AFRL F ABRAMS J BROWN BLDG 653 2977 P ST STE 6 WRIGHT PATTERSON AFB OH 45433-7739
1	WATERWAYS EXPERIMENT D SCOTT 3909 HALLS FERRY RD SC C VICKSBURG MS 39180
10	DIRECTOR LLNL R CHRISTENSEN S DETERESA F MAGNESS M FINGER MS 313 M MURPHY L 282 C HOOVER L125 J LIN L125 R E TIPTON L35 D BAUM L35 T MCABEE L35 PO BOX 808 LIVERMORE CA 94550
1	AFRL MLS OL L COULTER 5851 F AVE BLDG 849 RM AD1A HILL AFB UT 84056-5713
1	OSD JOINT CCD TEST FORCE OSD JCCD R WILLIAMS 3909 HALLS FERRY RD VICKSBURG MS 29180-6199

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	DARPA M VANFOSSSEN S WAX L CHRISTODOULOU 3701 N FAIRFAX DR ARLINGTON VA 22203-1714
7	DIRECTOR LOS ALAMOS NATIONAL LAB L HULL MS A133 J V REPA MS A133 J WALTER MS C305 E J CHAPYAK MS F664 P HOWE MS P915 J KENNEDY MS P915 F L ADDESSIO T 3 MS 5000 PO BOX 1633 LOS ALAMOS NM 87545
1	OAK RIDGE NATIONAL LABORATORY R M DAVIS PO BOX 2008 OAK RIDGE TN 37831-6195
1	OAK RIDGE NATIONAL LABORATORY C EBERLE MS 8048 PO BOX 2008 OAK RIDGE TN 37831
1	OAK RIDGE NATIONAL LABORATORY C D WARREN MS 8039 PO BOX 2008 OAK RIDGE TN 37831
3	DIRECTOR SANDIA NATIONAL LABS APPLIED MECHANICS DEPT MS 9042 J HANDROCK Y R KAN J LAUFFER PO BOX 969 LIVERMORE CA 94551-0969
1	HYDROGEOLOGIC INC SERDP ESTCP SPT OFC S WALSH 1155 HERNDON PKWY STE 900 HERNDON VA 20170

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
30	SANDIA NATIONAL LABS MAIL SERVICES MS 0100 J ANG MS 0310 P YARRINGTON MS 0310 W TEDESCHI MS 0479 B LEVIN MS 0706 A ROBINSON MS 0819 T TRUCANO MS 0819 P TAYLOR MS 0820 R BRANNON MS 0820 M KIPP MS 0820 D CRAWFORD MS 0820 L CHHABILDAS MS 0821 P STANTON MS 0821 J M MCGLAUN MS 0835 E S HERTEL JR MS 0836 L N KMETYK MS 0980 R REEDER MS 0980 J SOUTHWARD MS 0980 R LAFARGE MS 0986 R TACHAN MS 1156 M FURNISH MS 1168 M FORRESTAL MS 1174 W REINHART MS 1181 D HAYES MS 1181 J ASAY MS 1181 E W REECE MS 1185 D P KELLY MS 1185 C HALL MS 1209 J COREY MS 1217 C HILLS MS 1411 M VIGIL MS 1454 PO BOX 5800 ALBUQUERQUE NM 87185-0100
4	NIST M VANLANDINGHAM MS 8621 J CHIN MS 8621 J MARTIN MS 8621 D DUTHINH MS 8611 100 BUREAU DR GAITHERSBURG MD 20899
3	NASA LANGLEY RSCH CTR AMSRL VS W ELBER MS 266 F BARTLETT JR MS 266 G FARLEY MS 266 HAMPTON VA 23681-0001

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	NASA LANGLEY RSCH CTR T GATES MS 188E HAMPTON VA 23661-3400
1	FHWA E MUNLEY 6300 GEORGETOWN PIKE MCLEAN VA 22101
1	USDOT FEDERAL RAILRD M FATEH RDV 31 WASHINGTON DC 20590
1	MARINE CORPS INTLLGNC ACTVTY D KOSITZKE 3300 RUSSELL RD STE 250 QUANTICO VA 22134-5011
1	DIRECTOR NATIONAL GRND INTLLGNC CTR IANG TMT 220 SEVENTH ST NE CHARLOTTESVILLE VA 22902-5396
1	DIRECTOR DEFENSE INTLLGNC AGENCY TA 5 K CRELLING WASHINGTON DC 20310
2	PROTECTION MATERIALS INC M MILLER F CRILLEY 14000 NW 58 CT MIAMI LAKES FL 33014
2	FOSTER MILLER M ROYLANCE W ZUKAS 195 BEAR HILL RD WALTHAM MA 02354-1196
1	ROM DEVELOPMENT CORP R O MEARA 136 SWINEBURNE ROW BRICK MARKET PLACE NEWPORT RI 02840

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	O GARA HESS & EISENHARDT M GILLESPIE 9113 LESAINT DR FAIRFIELD OH 45014
2	MILLIKEN RSCH CORP H KUHN M MACLEOD PO BOX 1926 SPARTANBURG SC 29303
1	CONNEAUGHT INDUSTRIES INC J SANTOS PO BOX 1425 COVENTRY RI 02816
1	ARMTEC DEFENSE PRODUCTS S DYER 85 901 AVE 53 PO BOX 848 COACHELLA CA 92236
3	PACIFIC NORTHWEST LAB M SMITH G VAN ARSDALE R SHIPPELL PO BOX 999 RICHLAND WA 99352
2	AMOCO PERFORMANCE PRODUCTS M MICHNO JR J BANISAUKAS 4500 MCGINNIS FERRY RD ALPHARETTA GA 30202-3944
8	ALLIANT TECHSYSTEMS INC C CANDLAND MN11 2830 C AAKHUS MN11 2830 B SEE MN11 2439 N VLAHAKUS MN11 2145 R DOHRN MN11 2830 S HAGLUND MN11 2439 M HISSONG MN11 2830 D KAMDAR MN11 2830 600 SECOND ST NE HOPKINS MN 55343-8367

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	SAIC M PALMER 1410 SPRING HILL RD STE 400 MS SH4 5 MCLEAN VA 22102
1	OFC DEPUTY UNDER SEC DEFNS J THOMPSON 1745 JEFFERSON DAVIS HWY CRYSTAL SQ 4 STE 501 ARLINGTON VA 22202
3	ALLIANT TECHSYSTEMS INC J CONDON E LYNAM J GERHARD WV01 16 STATE RT 956 PO BOX 210 ROCKET CENTER WV 26726-0210
1	PROJECTILE TECHNOLOGY INC 515 GILES ST HAVRE DE GRACE MD 21078
5	AEROJET GEN CORP D PILLASCH T COULTER C FLYNN D RUBAREZUL M GREINER 1100 WEST HOLLYVALE ST AZUSA CA 91702-0296
1	HERCULES INC HERCULES PLAZA WILMINGTON DE 19894
1	BRIGS COMPANY J BACKOFEN 2668 PETERBOROUGH ST HERNDON VA 22071-2443
1	ZERNOW TECHNICAL SERVICES L ZERNOW 425 W BONITA AVE STE 208 SAN DIMAS CA 91773
1	GENERAL DYNAMICS OTS L WHITMORE 10101 NINTH ST NORTH ST PETERSBURG FL 33702

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	GENERAL DYNAMICS OTS FLINCHBAUGH DIV E STEINER B STEWART T LYNCH PO BOX 127 RED LION PA 17356
1	GKN AEROSPACE D OLDS 15 STERLING DR WALLINGFORD CT 06492
5	SIKORSKY AIRCRAFT G JACARUSO T CARSTENSAN B KAY S GARBO MS S330A J ADELMANN 6900 MAIN ST PO BOX 9729 STRATFORD CT 06497-9729
1	PRATT & WHITNEY C WATSON 400 MAIN ST MS 114 37 EAST HARTFORD CT 06108
1	AEROSPACE CORP G HAWKINS M4 945 2350 E EL SEGUNDO BLVD EL SEGUNDO CA 90245
1	UDLP G THOMAS PO BOX 58123 SANTA CLARA CA 95052
2	UDLP R BARRETT MAIL DROP M53 V HORVATICH MAIL DROP M53 328 W BROKAW RD SANTA CLARA CA 95052-0359
3	UDLP GROUND SYSTEMS DIVISION M PEDRAZZI MAIL DROP N09 A LEE MAIL DROP N11 M MACLEAN MAIL DROP N06 1205 COLEMAN AVE SANTA CLARA CA 95052

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	UDLP R BRYNSVOLD P JANKE MS 170 4800 EAST RIVER RD MINNEAPOLIS MN 55421-1498
2	BOEING ROTORCRAFT P MINGURT P HANDEL 800 B PUTNAM BLVD WALLINGFORD PA 19086
1	BOEING DOUGLAS PRODUCTS DIV L J HART SMITH 3855 LAKEWOOD BLVD D800 0019 LONG BEACH CA 90846-0001
1	LOCKHEED MARTIN SKUNK WORKS D FORTNEY 1011 LOCKHEED WAY PALMDALE CA 93599-2502
1	LOCKHEED MARTIN R FIELDS 1195 IRWIN CT WINTER SPRINGS FL 32708
3	MATERIALS SCIENCES CORP G FLANAGAN C F YEN A CAIAZZO 500 OFC CENTER DR STE 250 FT WASHINGTON PA 19034
1	NORTHROP GRUMMAN CORP ELECTRONIC SENSORS & SYSTEMS DIV E SCHOCH MS V 16 1745A W NURSERY RD LINTHICUM MD 21090
1	GDLS DIVISION D BARTLE PO BOX 1901 WARREN MI 48090

NO. OF  
COPIES ORGANIZATION

2 GDLS  
D REES  
M PASIK  
PO BOX 2074  
WARREN MI 48090-2074

1 GDLS  
MUSKEGON OPERATIONS  
W SOMMERS JR  
76 GETTY ST  
MUSKEGON MI 49442

1 GENERAL DYNAMICS  
AMPHIBIOUS SYS  
SURVIVABILITY LEAD  
G WALKER  
991 ANNAPOLIS WAY  
WOODBIDGE VA 22191

8 INST FOR ADVANCED  
TECH  
H FAIR  
I MCNAB  
P SULLIVAN  
S BLESS  
W REINECKE  
C PERSAD  
J CAZAMIAS  
J DAVIS  
3925 W BRAKER LN STE 400  
AUSTIN TX 78759-5316

2 CIVIL ENGR RSCH FOUNDATION  
PRESIDENT  
H BERNSTEIN  
R BELLE  
1015 15TH ST NW STE 600  
WASHINGTON DC 20005

1 ARROW TECH ASSO  
1233 SHELBURNE RD STE D8  
SOUTH BURLINGTON VT  
05403-7700

1 R EICHELBERGER  
CONSULTANT  
409 W CATHERINE ST  
BEL AIR MD 21014-3613

NO. OF  
COPIES ORGANIZATION

1 UCLA MANE DEPT ENGR IV  
H T HAHN  
LOS ANGELES CA 90024-1597

4 UNIV OF DAYTON  
RESEARCH INST  
R Y KIM  
A K ROY  
N BRAR  
A PIEKUTOWSKI  
300 COLLEGE PARK AVE  
DAYTON OH 45469-0168

1 UMASS LOWELL  
PLASTICS DEPT  
N SCHOTT  
1 UNIVERSITY AVE  
LOWELL MA 01854

1 IIT RESEARCH CENTER  
D ROSE  
201 MILL ST  
ROME NY 13440-6916

1 GA TECH RSCH INST  
GA INST OF TCHNLGY  
P FRIEDERICH  
ATLANTA GA 30392

1 MICHIGAN ST UNIV  
MSM DEPT  
R AVERILL  
3515 EB  
EAST LANSING MI 48824-1226

1 UNIV OF WYOMING  
D ADAMS  
PO BOX 3295  
LARAMIE WY 82071

2 PENN STATE UNIV  
R MCNITT  
C BAKIS  
212 EARTH ENGR  
SCIENCES BLDG  
UNIVERSITY PARK PA 16802

2 PENN STATE UNIV  
R S ENGEL  
F COSTANZO  
245 HAMMOND BLDG  
UNIVERSITY PARK PA 16801

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	TEXAS A&M UNIV D ALLEN AEROSPACE ENGRNG DEPT COLLEGE STATION TX 77843
1	NORTHWESTERN UNIV DEPT OF MECHANICAL ENGRNG H ESPINOSA 2145 SHERIDAN RD EVANSTON IL 60208
1	PURDUE UNIV SCHOOL OF AERO & ASTRO C T SUN W LAFAYETTE IN 47907-1282
1	STANFORD UNIV DEPT OF AERONAUTICS & AEROBALLISTICS S TSAI DURANT BLDG STANFORD CA 94305
1	UNIV OF MAINE ADV STR & COMP LAB R LOPEZ ANIDO 5793 AEWB BLDG ORONO ME 04469-5793
1	JOHNS HOPKINS UNIV APPLIED PHYSICS LAB P WIENHOLD 11100 JOHNS HOPKINS RD LAUREL MD 20723-6099
1	JOHNS HOPKINS UNIV CAMCS K RAMESH LATROBE 122 BALTIMORE MD 21218
1	UNIV OF DAYTON J M WHITNEY COLLEGE PARK AVE DAYTON OH 45469-0240
2	UNIV OF DELAWARE DEPT OF MECH ENGRNG T W CHOU M SANTARE 126 SPENCER LABORATORY NEWARK DE 19716

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
4	UNIV OF DELAWARE CTR FOR COMPOSITE MTRLs J GILLESPIE S YARLAGADDA S ADVANI D HEIDER 201 SPENCER LABORATORY NEWARK DE 19716
1	UIUC DEPT OF MATERIALS SCIENCE & ENGINEERING J ECONOMY 1304 WEST GREEN ST 115B URBANA IL 61801
1	NORTH CAROLINA STATE UNIV CIVIL ENGINEERING DEPT W RASDORF PO BOX 7908 RALEIGH NC 27696-7908
1	UNIV OF MARYLAND DEPT OF AEROSPACE ENGRNG A J VIZZINI COLLEGE PARK MD 20742
1	DREXEL UNIV A S D WANG 32ND & CHESTNUT ST PHILADELPHIA PA 19104
3	UNIV OF TEXAS AT AUSTIN CTR FOR ELECTROMECHANICS J PRICE A WALLS J KITZMILLER 10100 BURNET RD AUSTIN TX 78758-4497
3	VA POLYTECHNIC INST & STATE UNIV DEPT OF ESM M W HYER K REIFSNIDER R JONES BLACKSBURG VA 24061-0219

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	SOUTHWEST RSCH INST ENGR & MATL SCIENCES DIV S A MULLIN J RIEGEL J WALKER 6220 CULEBRA RD PO DRAWER 28510 SAN ANTONIO TX 78228-0510
5	JET PROPULSION LAB IMPACT PHYSICS GROUP Z SEKANINA P WEISSMAN B WEST J ZWISSLER M ADAMS 4800 OAK GROVE DR PASADENA CA 91109
3	CALTECH M ORTIZ MS 105 50 J SHEPHERD MS 105 50 A P INGERSOLL MS 170 25 1201 E CALIFORNIA BLVD PASADENA CA 91125
1	CALTECH G ORTON MS 169 237 4800 OAK GROVE DR PASADENA CA 91007
1	GEORGIA INST OF TECH COMPUTATIONAL MDLNG CTR S ATLURI ATLANTA GA 30332-0356
1	GEORGIA INST OF TECH SCHOOL OF MATL SCI & ENG K LOGAN ATLANTA GA 30332-0245
1	IOWA STATE UNIV DEPT PHYSICS AND ASTRONOMY J ROSE 34 PHYSICS AMES IA 50011
1	LOUISIANA STATE UNIV R W COURTER 948 WYLIE DR BATON ROUGE LA 70808

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	JHU MAT SCI & ENG DEPT M 21 102 MARYLAND HALL 3400 N CHARLES ST BALTIMORE MD 21218-2689
5	JHU APPLIED PHYSICS LAB T R BETZER A R EATON R H KEITH D K PACE R L WEST JOHNS HOPKINS RD LAUREL MD 20723
1	SUNY STONY BROOK DEPT APPL MATH & STAT J GLIMM STONY BROOK NY 11794
1	UC BERKELEY MECHANICAL ENG DEPT GRADUATE OFFICE K LI BERKELEY CA 94720
1	UC DAVIS INST THEORETICAL DYNAMICS E G PUCKETT DAVIS CA 95616
2	UC SAN DIEGO DEPT APPLIED MECH & ENG SVCS R011 S N NASSER M MEYERS LA JOLLA CA 92093-0411
2	UNIV OF AL HUNTSVILLE AEROPHYSICS RSCH CTR G HOUGH D J LIQUORNIK PO BOX 999 HUNTSVILLE AL 35899
1	UNIV OF AL HUNTSVILLE MECH ENGNRNG DEPT W P SCHONBERG HUNTSVILLE AL 35899

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	UNIV OF PA DEPT PHYSICS & ASTRONOMY P A HEINEY 209 S 33RD ST PHILADELPHIA PA 19104
1	UNIV OF TX DEPT OF MECH ENG E P FAHRENTHOLD AUSTIN TX 78712
1	VA POLYTECHNIC INST COLLEGE OF ENGINEERING DEPT ENG SCI AND MECH R C BATRA BLACKSBURG VA 24061-0219
2	APPLIED RSRCH ASSOC INC D GRADY F MAESTAS STE A220 4300 SAN MATEO BLVD NE ALBUQUERQUE NM 87110
1	COMPUTATIONAL MECHANICS CONSULTANTS J A ZUKAS PO BOX 11314 BALTIMORE MD 21239-0314
3	DYNA EAST CORP P C CHOU R CICCARELLI W FLIS 3620 HORIZON DR KING OF PRUSSIA PA 19406
3	DYNASEN J CHAREST M CHAREST M LILLY 20 ARNOLD PL GOLETA CA 93117
1	INTERNATIONAL RSRCH ASSOC D L ORPHAL 4450 BLACK AVE PLEASANTON CA 94566
1	R JAMESON 624 ROWE DR ABERDEEN MD 21001

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	ITT SCIENCES AND SYSTEMS J WILBECK 600 BLVD SOUTH STE 208 HUNTSVILLE AL 35802
1	KAMAN SCIENCES CORP D L JONES 2560 HUNTINGTON AVE STE 200 ALEXANDRIA VA 22303
7	KAMAN SCIENCES CORP J ELDER R P HENDERSON D A PYLES F R SAVAGE J A SUMMERS T W MOORE T YEM 600 BLVD SOUTH STE 208 HUNTSVILLE AL 35802
3	KAMAN SCIENCES CORP S JONES G L PADEREWSKI R G PONZINI 1500 GRDN OF THE GODS RD COLORADO SPRINGS CO 80907
1	D R KENNEDY & ASSOC INC D KENNEDY PO BOX 4003 MOUNTAIN VIEW CA 94040
2	LIVERMORE SOFTWARE TECH CORP J O HALLQUIST T SLAVIK 2876 WAVERLY WAY LIVERMORE CA 94550
1	LOCKHEED MARTIN ELEC & MSLS G W BROOKS 5600 SAND LAKE RD MP 544 ORLANDO FL 32819-8907
1	LOCKHEED MARTIN MSL & SPACE SANTA CRUZ FACILITY R HOFFMAN EMPIRE GRADE RD SANTA CRUZ CA 95060

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	LOCKHEED MARTIN MSL & SPACE M A LEVIN ORG 81 06 BLDG 598 M R MCHENERY T A NGO ORG 81 10 BLDG 157 111 LOCKHEED WAY SUNNYVALE CA 94088	2	SOUTHERN RESEARCH INST L A DECKARD D P SEGERS PO BOX 55305 BIRMINGHAM AL 35255-5305
4	LOCKHEED MARTIN MSL & SPACE J R ANDERSON W C KNUDSON S KUSUMI 0 81 11 BLDG 157 J PHILLIPS 0 54 50 PO BOX 3504 SUNNYVALE CA 94088	5	SRI INTERNATIONAL J D COLTON D CURRAN R KLOOP R L SEAMAN D A SHOCKEY 333 RAVENSWOOD AVE MENLO PARK CA 94025
1	LOCKHEED MARTIN MSL & SPACE W R EBERLE P O BOX 070017 HUNTSVILLE AL 35807		<u>ABERDEEN PROVING GROUND</u>
2	NETWORK COMPUTING SVC INC T HOLMQUIST G JOHNSON 1200 WASHINGTON AVE S MINNEAPOLIS MN 55415	1	US ARMY MATERIEL SYSTEMS ANALYSIS ACTIVITY P DIETZ 392 HOPKINS RD AMXS TD APG MD 21005-5071
1	ROCKWELL INTERNATIONAL ROCKETDYNE DIV H LEIFER 16557 PARK LN CIRCLE LOS ANGELES CA 90049	1	DIRECTOR US ARMY RESEARCH LAB AMSRL OP AP L APG MD 21005-5066
1	SAIC M W MCKAY 10260 CAMPUS PT DR SAN DIEGO CA 92121	108	DIR USARL AMSRL CI AMSRL CI S A MARK AMSRL CS IO FI M ADAMSON AMSRL SL BA AMSRL SL BL D BELY R HENRY AMSRL SL BG AMSRL SL I AMSRL WM J SMITH AMSRL WM B A HORST AMSRL WM BA D LYON AMSRL WM BC P PLOSTINS J NEWILL S WILKERSON A ZIELINSKI
1	SHOCK TRANSIENTS INC D DAVISON BOX 5357 HOPKINS MN 55343		
2	SIMULATION & ENG CO INC E I MULLINS S E MULLINS 8840 HWY 20 STE 200 N MADISON AL 35758		
1	J STERNBERG 20 ESSEX LN WOODBURY CT 06798		

NO. OF  
COPIES ORGANIZATION

ABERDEEN PROVING GROUND (CONT)

AMSRL WM BD  
B FORCH  
R FIFER  
R PESCE RODRIGUEZ  
B RICE  
AMSRL WM BE  
C LEVERITT  
AMSRL WM BF  
J LACETERA  
AMSRL WM BR  
C SHOEMAKER  
J BORNSTEIN  
AMSRL WM M  
D VIECHNICKI  
G HAGNAUER  
J MCCAULEY  
AMSRL WM MA  
L GHIORSE  
S MCKNIGHT  
AMSRL WM MB  
B FINK  
J BENDER  
T BOGETTI  
R BOSSOLI  
L BURTON  
K BOYD  
S CORNELISON  
P DEHMER  
R DOOLEY  
W DRYSDALE  
G GAZONAS  
S GHIORSE  
D GRANVILLE  
D HOPKINS  
C HOPPEL  
D HENRY  
R KASTE  
M KLUSEWITZ  
M LEADORE  
R LIEB  
E RIGAS  
J SANDS  
D SPAGNUOLO  
W SPURGEON  
J TZENG  
E WETZEL  
A FRYDMAN  
B POWERS  
B CHEESEMAN  
AMRSL WM MC

NO. OF  
COPIES ORGANIZATION

ABERDEEN PROVING GROUND (CONT)

J BEATTY  
E CHIN  
J MONTGOMERY  
A WERECZCAK  
J LASALVIA  
J WELLS  
AMSRL WM MD  
W ROY  
S WALSH  
AMSRL WM T  
B BURNS  
T W WRIGHT  
M ZOLTOSKI  
AMSRL WM TA  
W GILLICH  
H MEYER  
T HAVEL  
J RUNYEON  
M BURKINS  
E HORWATH  
B GOOCH  
W BRUCHEY  
M NORMANDIA  
AMRSL WM TB  
D KOOKER  
P BAKER  
AMSRL WM TC  
T W BJERKE  
K KIMSEY  
M LAMPSON  
D SCHEFFLER  
S SCHRAML  
G SILSBY  
B SORENSEN  
R SUMMERS  
R COATES  
AMSRL WM TD  
A DAS GUPTA  
T HADUCH  
T MOYNIHAN  
F GREGORY  
M RAFTENBERG  
T WEERASOORIYA  
D DANDEKAR  
A DIETRICH  
E J RAPACKI  
S SEGLETES  
G R PEHRSON  
M SCHEIDLER  
S SCHOENFELD

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
--------------------------------	---------------------

	AMSRL WM TE
	A NIILER
	A PRAKASH
	J POWELL
	AMSRL SS SD
	H WALLACE
	AMSRL SS SE DS
	R REYZER
	R ATKINSON

NO. OF  
COPIES ORGANIZATION

1 LTD  
R MARTIN  
MERL  
TAMWORTH RD  
HERTFORD SG13 7DG  
UK

1 SMC SCOTLAND  
P W LAY  
DERA ROSYTH  
ROSYTH ROYAL DOCKYARD  
DUNFERMLINE FIFE KY 11 2XR  
UK

1 CIVIL AVIATION  
ADMINISTRATION  
T GOTTESMAN  
PO BOX 8  
BEN GURION INTERNL AIRPORT  
LOD 70150  
ISRAEL

1 AEROSPATIALE  
S ANDRE  
A BTE CC RTE MD132  
316 ROUTE DE BAYONNE  
TOULOUSE 31060  
FRANCE

1 DRA FORT HALSTEAD  
P N JONES  
SEVEN OAKS KENT TN 147BP  
UK

1 DEFENSE RESEARCH ESTAB  
VALCARTIER  
F LESAGE  
COURCELETTE QUEBEC  
COA IRO  
CANADA

1 SWISS FEDERAL ARMAMENTS  
WKS  
W LANZ  
ALLMENDSTRASSE 86  
3602 THUN  
SWITZERLAND

NO. OF  
COPIES ORGANIZATION

1 DYNAMEC RESEARCH AB  
AKE PERSSON  
BOX 201  
SE 151 23 SODERTALJE  
SWEDEN

1 ISRAEL INST OF  
TECHNOLOGY  
S BODNER  
FACULTY OF MECHANICAL  
ENGR  
HAIFA 3200  
ISRAEL

1 DSTO  
WEAPONS SYSTEMS DIVISION  
N BURMAN RLLWS  
SALISBURY  
SOUTH AUSTRALIA 5108  
AUSTRALIA

1 DEF RES ESTABLISHMENT  
VALCARTIER  
A DUPUIS  
2459 BOULEVARD PIE XI NORTH  
VALCARTIER QUEBEC  
CANADA  
PO BOX 8800 COURCELETTE  
GOA IRO QUEBEC  
CANADA

1 INSTITUT FRANCO ALLEMAND  
DE RECHERCHES DE SAINT  
LOUIS  
DE M GIRAUD  
5 RUE DU GENERAL  
CASSAGNOU  
BOITE POSTALE 34  
F 68301 SAINT LOUIS CEDEX  
FRANCE

1 ECOLE POLYTECH  
J MANSON  
DMX LTC  
CH 1015 LAUSANNE  
SWITZERLAND

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	TNO DEFENSE RESEARCH R IJSSELSTEIN ACCOUNT DIRECTOR R&D ARMEE PO BOX 6006 2600 JA DELFT THE NETHERLANDS
2	FOA NATL DEFENSE RESEARCH ESTAB DIR DEPT OF WEAPONS & PROTECTION B JANZON R HOLMLIN S 172 90 STOCKHOLM SWEDEN
2	DEFENSE TECH & PROC AGENCY GROUND I CREWTHERR GENERAL HERZOG HAUS 3602 THUN SWITZERLAND
1	MINISTRY OF DEFENCE RAFAEL ARMAMENT DEVELOPMENT AUTH M MAYSELESS PO BOX 2250 HAIFA 31021 ISRAEL
1	TNO DEFENSE RESEARCH I H PASMAN POSTBUS 6006 2600 JA DELFT THE NETHERLANDS
1	B HIRSCH TACHKEMONY ST 6 NETAMUA 42611 ISRAEL
1	DEUTSCHE AEROSPACE AG DYNAMICS SYSTEMS M HELD PO BOX 1340 D 86523 SCHROBENHAUSEN GERMANY

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	INST FUR MATERIALFORSCHUNG II C TSAKMAKIS POSTFACH 3640 FORSCHUNGSZENTRUM KARLSRUHE D 76021 KARLSRUHE GERMANY
1	NATL TECH UNIV OF ATHENS DEPT OF ENG SCI I VARDOULAKIS ATHENS 15773 GREECE
1	UNIV OF PATRAS DEPT OF CIVIL ENGINEERING D BESKOS PATRAS 26500 GREECE
1	ARISTOTLE UNIV OF THESSALONIKI DEPT OF MECH & MATLS E AIFANTIS THESSALONIKI 54006 GREECE

INTENTIONALLY LEFT BLANK.

<b>REPORT DOCUMENTATION PAGE</b>			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE March 2002		3. REPORT TYPE AND DATES COVERED Final, January–November 2001
4. TITLE AND SUBTITLE Implementation of the Johnson-Holmquist II (JH-2) Constitutive Model Into DYNA3D			5. FUNDING NUMBERS 622618.H80	
6. AUTHOR(S) George A. Gazonas				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-WM-MB Aberdeen Proving Ground, MD 21005-5069			8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-2699	
9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This report describes the implementation of a fully three-dimensional rate, pressure, and damage-dependent constitutive model for brittle materials such as ceramics into the explicit, Lagrangian finite element code DYNA3D. The model, otherwise known as the Johnson-Holmquist II (JH-2) ceramic model, has also been implemented into CTH, EPIC, and LS-DYNA, and is used extensively in modelling the brittle response of ceramics in armor applications. The DYNA3D material driver was used to verify the model implementation for constant strain-rate input histories (Johnson, G. R., and T. J. Holmquist. "An Improved Computational Constitutive Model for Brittle Materials." <i>High Pressure Science and Technology</i> , New York: AIP Press, 1993). Also described is the implementation of the JH-3 ceramic model and capabilities for modelling projectile dwell phenomena. The Johnson-Holmquist series of ceramic models (JH-1, JH-2, and JH-3) is currently being used in a broader program aimed at computational optimization of composite lightweight armor for Future Combat System vehicles.				
14. SUBJECT TERMS ceramic, JH-2, JH-3, DYNA3D, Johnson-Holmquist, dwell, damage, uniaxial strain, constitutive modelling			15. NUMBER OF PAGES 42	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

INTENTIONALLY LEFT BLANK.